TABLE OF CONTENTS – Canine and Feline Liver Cytology

1 Before the analysis. Rules for interpretation of hepatic cytology

- 1.1 The rules for cytological diagnosis of hepatic diseases
- 1.1.1 Rule 1
- 1.1.2 Rule 2
- 1.1.3 Rule 3
- 1.1.4 Rule 4
- 1.1.5 Rule 5
- 1.1.6 Rule 6
- 1.1.7 Rule 7
- 1.2 Diagnostic approach to liver disease
- 1.2.1 Clinical and anamnestic signs
- 1.2.2 Hematochemical investigations
- 1.2.2.1 Pathological bases of liver damage
- 1.2.2.2 Diagnosis of liver damage

1.2.2.3 Useful enzymes for the recognition of damage to the hepatocyte and cholangiocyte

- 1.2.2.4 Liver failure diagnosis
- 1.2.2.5 Parameters of liver failure
- 1.2.3 Ultrasonographic investigation
- 1.2.4 Cytological and histopathological investigation
- 1.2.4.1 Sample collection
- 1.2.4.2 Cytological approach to hepatic diseases

1.3 To rimember

2 Normal Histology and Cytology of the liver

- 2.1 Normal liver histology
- 2.2 Normal cytology of the liver
- 2.2.1 Hepatocytes
- 2.2.2 Kupffer cells
- 2.2.3 Stellate cells
- 2.2.4 Cholangiocytes (biliary cells)
- 2.2.6 Hepatic mast cells
- 2.2.7 Hematopoietic cells
- 2.2.8 Mesothelial cells
- 2.3 To rimember

3 Non-specific and reversible hepatocellular damage

- 3.1 Accumulation of water
- 3.2 Accumulation of glycogen
- 3.3 Accumulation of lipids
- 3.4 Accumulation of bilirubin and bile salts
- 3.5 Hyperplasia of stellate cells
- 3.6 Regenerative changes
- 3.7 To rimember

4 Intra and extra-cytoplasmic pathological accumulation

- 4.1 Pathological intracytoplasmic accumulation
- 4.1.1. Lipofuscin
- 4.1.2 Copper
- 4.1.3 Iron and hemosiderin

4.1.4 Protein droplets

- 4.1.5 Cytoplasmic granular eosinophilic material
- 4.1.6. Hepatic lysosomal storage disorders
- 4.2 Pathological extracytoplasmic accumulations
- 4.2.1 Bile
- 4.2.2 Amyloid
- 4.3 To remember

5 Irreversible hepatocellular damage

- 5.1 Necrosis
- 5.2 Apoptosis
- 5.3 To remember

6 Inflammation

- 6.1 Presence of neutrophilic granulocyte
- 6.2 Presence of eosinophilic granulocytes
- 6.3 Presence of lymphocytes and plasmacells
- 6.4 Presence of macrophages
- 6.5 Presence of mast cells
- 6.6 To remember

7 Nuclear inclusions

- 7.1 "Brick" inclusions
- 7.2 Glycogen pseudo-inclusions
- 7.3 Lead inclusions
- 7.4 Viral inclusions
- 7.5 To remember

8 Cytological features of liver fibrosis

- 8.1 Cytological features of liver fibrosis
- 8.2 To remember

9 Cytological Features of biliary diseases

- 9.1 General features of biliary diseases
- 9.2 Cytological features of some specific biliary diseases
- 9.2.1 Acute and chronic cholestasis
- 9.2.2 Acute cholangitis
- 9.2.3 Chronic cholangitis
- 9.2.4 Lymphocytic cholangitis
- 9.3 To rimember

10 Bile and gallbladder diseases

- 10.1 Bactibilia and septic cholecystitis
- 10.2 Epithelial hyperplasia
- 10.3 Gallbladder mucocele
- 10.4 Limy bile syndrome
- 10.5 Biliary sludge
- 10.6 Neoplastic diseases of gallbladder
- 10.7 Other gallbladder diseases
- 10.8 To remember

11 Ethiological agents

- 11.1 Virus
- 11.2 Bacteria
- 11.3 Protozoa
- 11.4 Fungi

11.5 Parasites

11.6 To remember

12 Neoplastic lesions of the hepatic parenchyma

- 12. 2 Nodular lesions of epithelial origins
- 12.2.1 Nodular hyperplasia
- 12.2.2 Hepatocellular adenoma
- 12.2.3 Hepatocellular carcinoma
- 12.2.4 Cholangioma
- 12.2.5 Cholangiocellular carcinoma
- 12.2.6 Other nodular lesions of biliary origins
- 12.2.7 Hepatic carcinoid
- 12.2.8 Hepatoblastoma
- 12.3 Nodular lesions of mesenchymal origin
- 12.3.1 Malignant mesenchymal neoplasms
- 12.4 Nodular lesions of hematopoietic origin
- 12.4.1. Myelolipoma
- 12.4.2. Large-cell hepatic lymphoma
- 12.4.3 Small cell lymphoma
- 12.4.4. LGL lymphoma
- 12.4.5 Epitheliotropic lymphoma
- 12.4.6 Other types of hepatic lymphoma
- 12.4.7. Malignant histiocytic neoplasms
- 12.4.8. Mast cell tumor
- 12.4.9 Hepatic splenosis

12.5 Liver metastasis

- 12.6 Criteria for the selection of sampling methods of liver nodular lesions
- 12.7 To remember.